

REQUEST FOR IRRADIATION OF BEE EQUIPMENT

Date: _____

Contact: _____ Phone no: _____

Business Name: _____

Address: _____

Email: _____

The following guidelines must be adhered to:

- | | |
|-----------------------------------------------|----------|
| 1. Are all hives clean and free of honey | YES / NO |
| 2. Are all hives strapped and M Locked | YES / NO |
| 3. Are all hives under 25 kilograms in weight | YES / NO |
| 4. Are all hives insect and spider free | YES / NO |
| 5. Are all hives double bagged | YES / NO |

If you do not comply with the above Steritech may refuse acceptance of hives.

I do hereby authorise Steritech Pty Ltd to arrange for the treatment of the said goods by Gamma Irradiation, and further agree *not* to hold Steritech Pty Ltd responsible for any damage which may be caused during treatment or carriage of the goods.

Signed: _____ **Name:** _____

Dose required in kGy's: Minimum 15 Kilogray

Number of Triple Deck _____ @ \$42 each + GST

Number of Double Deck _____ @ \$42 each + GST

Number of Single Deck _____ @ \$25 each + GST

You will be charged a clean up fee of \$100 + GST for any honey leakage in our Warehouse or Irradiation Chamber.

*Additional charges will apply for container unloading and cleaning if applicable.