



FRM-0038 Rev. 01
**Request for Irradiation of Bee
 Equipment**
 1st July 2022 – 30th June 2023

1 Bee Equipment Packaging Options

1.1 Using a Steritech Bee Carton

1.1.1 Steritech will supply a carton (internal dimensions L56cm x W43cm x H42.5cm) and plastic inner liner.

1.1.2 The Bee carton can be reused up to five (5) times, if kept in good condition.



1.2 Wrap and strap your Bee boxes

1.2.1 Single or double-stacks no greater than 25kg each.

1.2.2 Use strong wrapping or bags

1.2.3 Strap or tape boxes after wrapping.



2 Conditions for Supply of Service

- 2.1 Steritech services will be delivered as per Steritech's *Agreement for Irradiation Processing*.
- 2.2 A clean-up fee of \$275.00 ex GST will be charged for processing downtime as a result of leakage of honey from customer goods.
- 2.3 A goods storage fee of \$51.00 ex GST per pallet per week begins on the 15th day after notification of completion.
- 2.4 Polypropylene components have been shown to deteriorate when exposed to doses 28kGy and above.
- 2.4.1 Steritech Wetherill Park cannot guarantee the dose will stay under 28kGy, and cannot be held liable for any damage caused by the treatment.
- 2.4.2 It is advisable to remove polypropylene items or contact Steritech to discuss Supply of Service.



FRM-0038 Rev. 01
**Request for Irradiation of Bee
 Equipment**
 1st July 2022 – 30th June 2023

3 Customer Details

Business Name:		
Contact Person:		
Address:		
Suburb:	State:	Postcode
Phone:	Fax:	
E-Mail:		

4 Goods to be Received/Invoiced

Invoice Items	Quantity	Price (ex GST)	Total
Single Stacks		\$15.00 each	
Double-Stacks		\$30.00 each	
Steritech Bee Cartons Purchased		\$4.00 each	
Other Equipment, max 25kg		\$15.00 each	
Bucket of Honey (two-thirds full), max 25kg		\$15.00 each	

5 Customer Declaration

- 5.1 Your Boxes are clean and free of honey and insects? Yes No
- 5.2 The weight of each single/double-stack is no more than 25kg? Yes No
- 5.3 All stacks are double-bagged/wrapped and taped/strapped securely, or in a Steritech Bee Carton with liner? Yes No
- 5.4 All containers of honey are partly filled (no more than two-thirds full) and double-bagged? Yes No N/A

I do hereby authorise Steritech Pty Ltd to arrange for the treatment of the said goods by Gamma Irradiation at a minimum dose of 15kGy.

I will not hold Steritech Pty Ltd responsible for any damage which may be caused during treatment or carriage of the goods.

I understand that I will be required to return to Steritech to collect my goods within 14 days of notification of completion, or resolve any issues if any pre-treatment requirements have not been met.

Name:

Signature

Date: